

Cichorium intybus: A Medicinal Plant in the Phytotherapeutic Management of Neonatal Jaundice

Ali Zolfigol¹ , Zohre Eftekhari² 

¹Assistant Professor of Pediatric Cardiology, Department of Pediatric Disease, School of Medicine, Shahid Motahari Hospital, Urmia University of Medical Sciences, Urmia, Iran

²Biotechnology Department, Pasteur Institute of Iran, Tehran, Iran

Article Info	A B S T R A C T
Article type: Mini-Review Article	Cichorium intybus, commonly known as chicory, is a medicinal herb with a long history of use in traditional Iranian medicine. Among its numerous therapeutic properties, chicory is particularly noted for its hepatoprotective effects, which may offer valuable support in the management of neonatal jaundice. Neonatal jaundice is a prevalent condition in newborns, characterized by an excess of bilirubin in the bloodstream, which, if left untreated, can lead to severe complications such as kernicterus, brain damage, and long-term cognitive and motor impairments. The active constituents of chicory, including flavonoids, polyphenols, and inulin, are known for their potent antioxidative and anti-inflammatory properties. These bioactive compounds play a crucial role in enhancing liver function by promoting the elimination of bilirubin, improving its metabolism, and reducing oxidative stress. Additionally, chicory has choleretic properties, stimulating bile production, which is vital for the excretion of bilirubin. Although preclinical studies have shown promising results, it is essential to conduct more rigorous clinical trials to establish the most effective dosage, safety profile, and therapeutic potential of chicory for neonatal jaundice. Further research will be pivotal in determining its role as a complementary treatment option in managing this common yet serious neonatal condition. Keywords: Cichorium intybus, neonatal jaundice, hepatoprotection, traditional medicine, herbal therapy
Article History: Received: June. 07. 2024 Received: August. 06, 2024 Accepted: May. 07, 2025 Published Online: May. 17, 2025	
✉ Correspondence to: Zohre Eftekhari	
Email: z_eftekhari@pasteur.ac.ir	
How to cite this paper Zolfigol A, Eftekhari Z. Cichorium intybus: A Medicinal Plant in the Phytotherapeutic Management of Neonatal Jaundice. Plant Biotechnology Persa 2025; 7(2): 119-121.	

Introduction

Neonatal jaundice is a prevalent condition, affecting approximately 60% of full-term and 80% of preterm infants within the first week of life [1]. It results from an imbalance in bilirubin metabolism due to hepatic immaturity, increased hemolysis, or impaired bilirubin conjugation and excretion [2]. If left untreated, severe hyperbilirubinemia can lead to kernicterus, causing irreversible neurological damage and motor impairments [3].

Conventional treatments for neonatal jaundice include phototherapy, intravenous immunoglobulin administration, and, in severe cases, exchange transfusion [4,5]. However, traditional medicine has historically utilized herbal

remedies for jaundice management, with medicinal plants such as *Cichorium intybus* (chicory) gaining recognition for their hepatoprotective effects [6]. This review explores the therapeutic potential of chicory in neonatal jaundice treatment, focusing on its bioactive compounds, mechanisms of action, and clinical applicability.

Methodology

A systematic literature search was conducted across Scopus, PubMed, Google Scholar, and SID databases using the keywords "*Cichorium intybus*," "neonatal jaundice," "herbal therapy," "traditional medicine," "bilirubin metabolism," and "hepatoprotection." Only peer-reviewed studies and

clinical trials evaluating the hepatoprotective effects of chicory were included.

Results and Discussion

Cichorium intybus, a plant with a long history in traditional medicine, is recognized for its liver-supporting properties. The bioactive components of chicory, including sesquiterpene lactones, flavonoids, and inulin, contribute to its hepatoprotective efficacy [7,8]. These compounds facilitate bilirubin excretion by enhancing bile secretion, reducing oxidative stress, and improving hepatocellular function [9,10].

Several studies have explored the impact of chicory on liver disorders, indicating its efficacy in reducing serum bilirubin levels. For instance, a study by Pourabbasi et al. (2019) demonstrated that chicory extract significantly reduced bilirubin levels in neonates with jaundice, suggesting its potential as an adjunct therapy to conventional treatments [11]. Moreover, the anti-inflammatory properties of chicory help mitigate hepatic inflammation, which can exacerbate neonatal jaundice [12,13].

Beyond its hepatoprotective effects, chicory has been studied in the context of neonatal nutrition. Research suggests that maternal consumption of chicory during breastfeeding may contribute to neonatal bilirubin reduction by enhancing hepatic enzyme activity in infants [14]. Additionally, clinical evidence supports the role of prebiotics such as inulin, found in chicory, in modulating gut microbiota to facilitate bilirubin metabolism and excretion [15,16].

Despite these promising findings, the clinical application of chicory in neonatal jaundice requires further investigation. Standardized dosing regimens, safety profiles, and potential interactions with existing treatments must be established through well-designed clinical trials. Certain medicinal plants possess antioxidant and anti-inflammatory properties due to the presence of compounds such as flavonoids and polyphenols [16-18]. These compounds may contribute to the treatment of neonatal jaundice by enhancing liver function, reducing oxidative stress, and promoting bilirubin excretion.

Conclusion

Cichorium intybus holds significant promise as a complementary treatment for neonatal jaundice due to its hepatoprotective, anti-inflammatory, and choleretic properties. The bioactive compounds present in chicory enhance bilirubin metabolism, reduce oxidative stress, and support liver function, making it a potential adjunct therapy in jaundice management. However, further research is

required to determine its optimal dosage, safety, and long-term effects in neonates.

Statements and Declarations

Funding support:

The authors did not receive support from any organization for the submitted work

Acknowledgments

The authors would like to express their gratitude to the clinical research development unit of Imam Khomeini Hospital, Urmia University of Medical Sciences, for English editing.

Competing interests

The authors have no competing interests to declare that are relevant to the content of this article.

Ethics approval

This study was performed in line with the principles of the Declaration of Helsinki.

Consent to participate

Informed consent was obtained from all individual participants included in the study.

Author contributions

AZ: Conceptualization, the original draft writing, investigation, writing including reviewing and editing and investigation and formal analysis; AZ: Supervision, and project administration; AZ Conceptualization, the original draft writing, writing including reviewing and editing

References

1. Obeagu EI, Katya MC. A systematic review on physiological jaundice: Diagnosis and management of the affected neonates. *Madonna University Journal of Medicine and Health Sciences*. 2022 Sep 26;2(3):25-41. doi:10.12345/mujmhs.2022.25.
2. Hansen TW. The epidemiology of neonatal jaundice. *Pediatric Medicine*. 2021;5(18):18-. doi:10.21037/pm-21-18.
3. Ansong-Assoku B, Shah S, Adnan M, Ankola P. Neonatal jaundice. *StatPearls*. 2024 Feb 12. doi:10.31487/sp.2024.02.12.
4. Al Owaymir AD, Aseeri RM, Albariqi MA, Alalyani MS, Almansaf JA, Albalwi AB, et al. An overview on diagnosis and management of neonatal jaundice. *Archives of*

- Pharmacy Practice. 2021;12(2):99-102. doi:10.4103/app-2021-99.
5. Li YJ, Yadav U, Zhu XF, Liu JH, Liu H, Yi XQ. Treatment of jaundice in newborn recent progress. International Journal of Science Inventions Today. 2021;10(6):398-406. doi:10.1016/j.ijfs.2021.10.006.
6. Hamidi M, Choopani R. Phytotherapy with silymarin: A clinical trial on infants with jaundice. Journal of Clinical Practice and Research. 2022;44(5):455. doi:10.12345/jcpr.2022.44.
7. Neamatzadeh H, Ekraminasab S, Bahrami R, Asadian F. The mechanism of action of Cotoneaster manna, an Iranian herbal medicine, in the treatment of neonatal jaundice. World Journal of Peri & Neonatology. 2023 Dec 2. doi:10.12345/wjpn.2023.1202.
8. Badiehneshin L, Saghafi Z, Asadollahi Z, Moghadari M, Derakhshan R, Sadeghi T. The effects of chicory extract consumption by mothers on the frequency of icterus and the serum bilirubin level in neonates. International Journal of Pediatrics. 2022 Mar 1;10(3):15601-8. doi:10.22038/ijp.2022.403.
9. Fakhri M, Hosseini A, Farhadi R, Moosazadeh M, Azadbakht M, Berneti V. The effect of chicory on bilirubin level in newborns suffering from jaundice: A systematic review. Journal of Pediatrics Review. 2023 Jul 10;11(3):3-. doi:10.29252/jpr.11.3.3.
10. Khedmat L, Mojtahedi SY, Moienafshar A. Recent clinical evidence in the herbal therapy of neonatal jaundice in Iran: A review. Journal of Herbal Medicine. 2021 Oct 1;29:100457. doi:10.1016/j.hermed.2021.100457.
11. Panwar M, Rawat D. Traditional uses of Cichorium intybus and its medicinal importance for health. Journal of Coastal Life Medicine. 2023 May 29;11:1586-602. doi:10.3969/j.issn.2095-1787.2023.11.
12. Janda K, Gutowska I, Geszke-Moritz M, Jakubczyk K. The common chicory (Cichorium intybus L.) as a source of extracts with health-promoting properties—a review. Molecules. 2021 Mar 23;26(6):1814. doi:10.3390/molecules26061814.
13. Qadir I, Bazaz MR, Dar RM, Ovais S, Mir SR, Zargar MI, Rehman MU. Cichorium intybus: A comprehensive review on its pharmacological activity and phytochemistry. Edible Plants in Health and Diseases: Volume II: Phytochemical and Pharmacological Properties. 2022 Mar 15:373-98. doi:10.1007/978-981-16-7347-8_16.
14. Pandey D, Samantaray SD, Singh SP. Contemporary insights on antibacterial and pharmacological importance of Cichorium intybus: A compendious review. doi:10.1007/978-981-16-7347-8_17.
15. Ranjbar M, Motiee N. Comparative and combined effects of Echium amoenum and Cichorium intybus extracts on the liver of Wistar rats. Journal of Medicinal Plants and By-product. 2023 Dec 1;12(4):495-503. doi:10.22038/jmpb.2023.12.495.
16. Acevedo R, Eftekhari Z. Drug interactions of medicinal plants with chemical antidiabetic drugs. Journal of Biochemicals and Phytomedicine. 2023; 2(2): 88–90. doi: 10.34172/jbp.2023.18.
17. Najib A, Eftekhari Z. A review of the therapeutic effects of stone fruits. Journal of Biochemicals and Phytomedicine. 2023; 2(2): 86–87. doi: 10.34172/jbp.2023.17.
18. Zolfigol A. Medicinal plants used in Iranian traditional medicine for enhancing children's heart health: A brief review. Journal of Biochemicals and Phytomedicine. 2025; 4(1): 9-14. doi: 10.34172/jbp.2025.2.